

1 SAM ↓



M 108[↗]

TEL/FAX:021-57350280/021-51368588



˘E˜ a ˘˘

˘E˜ ˘˘ ĩ ˘ Ɔ ʌ ˆ a Ĝ ˙ Ƨ v ˆ

ʌ ˘E˜ ˆ ˘ ˆ No ˆ

˘ ˆ Ĝ





α 1 'E~ L b 'Y , 'HNo 'Y b η ' H
A ['HNo i ρ α
≠ 1 z 1 z γ β γ β
α 'Y 'E~ γ β



操作手冊

1	↑		5
1.1			5
1.2			5
1.3	a		5
1.4	a		7
1.5	↑		7
2	η		7
2.1			7
2.2	b η		7
2.3	E [~] b η		7
2.4	k η		8
3 ^{ap}	Đ		9
3.1	↑ ^{ap} :		9
3.2	↑		9
3.3	↑ b ↑		9
3.4			10
4	a		11
4.1	L		11
4.2			11
4.3	a		11
4.4	%		11
4.5	L		12
4.6	G		12
4.7	ĩ k		15
5	ŵ		16

Đ . ↑



操作手冊


1 ↓

1.1

	r	SAM-285	SAM-440	SAM-700					
∞	SAM-440-08	SAM	↓	440	↑ β	↓ β	L/min	08 η	
1 z	↓ β								



4 :



α V ã ‰ DIN7753 PART1 / ISO 4184
ISO 1940-G6.3 VDI2060-Q6.3 ISO 8821 ¶
ρ ¶ ~ κ





3. 3.1

3.1 1 :
1 í r y
b B ↓ n p “ k 1 ”
“ 1 ” 3HP 30HP p ū η 1
v 1 b í ì
v L J r №
1 1

SAM-440


SAM-700



3.2 1
1 b' r z z

3.3 1 b l
1 r z L
r v z
1 1 v β

2 b l



3.4 Oil-free scroll air end technical data


Model	Shaft power	Rated pressure	Air displacement	Exhaust interface	Speed	Noise value	Outline size	Weight
	KW	Mpa	L/min	inch	r/min	dB(A)	mm	kg
SAM-285	2.2	0.8	250	PT3/8"	2840	64	270x300x265	15.5
	2.4	1.0	215		2400			
SAM-440	3.75	0.8	410	PT1/2"	3050	65	347x330x295	19.5
	4.4	1.0	355		3000			
SAM-700	5.5	0.8	570	PT3/4"	2950	66	335x381x357	31.5
	6.0	1.0	490		2650			



4. a

4.1 L

$$\begin{matrix} W & 1 & L_{\text{out}} & 1 & \pm \\ W & 1 & & & \\ & \exists & \dot{t} & & \downarrow \end{matrix}$$



Å β ¨ 1
v ¨
1 Å Å
1 z 1 1 1 z v ¨ Å 1 z v 1 z v
Å Å

4.5 L

~ 1 1 z 1
1 z 1 1 z v 1 Å p 1 z 1
z v 1 z v ¨ ¨ 1 z 1
Å Å Å p 1 z
Å
G Å ü G Å ¨
β L B ¨
Å Å Å Å Å
1 Å

4.6 G

G I ¨ í r. b 1 k G I || n
a n p
G I b Å ¨ ® ¨
1 k v 1 "H Ð || p 1 z
p "H Ð 1 Å b ð H
G I k í Ð 1 p
1 G I
%o ¨ ≥
= G I
A γ G 1 ü ¨
1 p



$$\begin{array}{ccccccc}
 & & 1 & \Lambda & \check{\Gamma} \bar{\Gamma} \bar{\Gamma} \\
 \eta & 1 z^D & D & \check{\Gamma} \bar{\Gamma} 1 & \Theta & 1 & \Lambda \\
 \bar{\Gamma} \bar{\Gamma} \bar{\Gamma} & & & & & & \\
 ' \downarrow & & & & & & \\
 ' ' \downarrow & \Psi & 1 & & & & \gamma \bar{\Gamma}
 \end{array}$$

$\tilde{U}^p$ N_0 , $\tilde{U}^p$ $\dot{\rho} \cdot 1 \cdot z$
 $\sim$ $\circ$ $\dot{\rho}$ 1 $\sim$
 1 r $\tilde{G} \tilde{I}$

 $\bar{G} \bar{I} \quad 7/8$

b Ð

$$\mathbb{D} \neq$$

D

p

||

1 z

1

f

 $\neq \mathbb{D}$

b

✓

 a

Đ

 $\mathbb{Q}$ $\bar{G}$

1

γ

1

%

!

 $\bar{G} \quad \bar{I}$

i

	ρ							
		500	2500	5000	10000	15000	20000	
		2		2	4	6	8	
	ψ						●	3500h ψ
			○	●	●	●	●	
┐				○	○	○	○	
			○	○	○	○	○	
					○			
			○	●	●	●	●	
└				○	●	○	●	
η			○					2500h
		○	●					6
δ					○		○	

○


•



γ $\bar{G}$ $\frac{1}{\gamma}$ $\%$ γ

$\bar{G}$ $\bar{I}$ $\bar{I}$

	$\dot{p}$							
		500	2500	5000	10000	15000	20000	
		2		2	4	6	8	
	γ						•	2500h γ



ĩ k

ı ĩ k

ı

k





www.danielle.com

1 G I

8

